Brain Research, 435 (1987) 408–410
Elsevier

Author Index

Agnati, L.F., see Pich, E.M., 147
Akasu, T., see Ariyoshi, M., 241
Albertson, T.E. and Joy, R.M., Increased inhibition in dentate gyrus granule cells following exposure to GABA-uptake blockers, 283
Althaus, J.S., see Hall, E.D., 174
Amir, S., Harel, M. and Rivkind, A.I., Thyrotropin-releasing hormone potently reverses epinephrine-stimulated hyperglycemia in mice, 112
Anderson, E.G., see Buzsáki, G., 331
Anwyl, R., Walshe, J. and Rowan, M., Electroconvulsive treatment reduces long-term potentiation in rat hippocampus, 377
Ariyoshi, M. and Akasu, T., Voltage-clamp studies of the inhibition of γ-aminobutyric acid response by glucocorticoids in bullfrog primary afferent neurons, 241
Aronsson, M., see Pich, E.M., 147

Baba, H., see Ono, K., 84
Badoer, E., see Korner, P.I., 258
Banik, N.L., Chakrabarti, A.K., Gantt, G. and Hogan, E.L., Distribution of calcium-activated neutral proteinase activity in quaking mouse brain: a subcellular study, 57
Baux, G., see Poulain, B., 63
Bayliss, D.A., see Lawing, W.L., 322
Beaudet, A., see Hervé, D., 71
Benfenati, F., see Pich, E.M., 147
Blake, M.J. and Stein, E.A., Brain stimulation of the ventral tegmental area attenuates footshock escape: an in vivo autoradiographic analysis of opiate receptors, 181
Bogónez, E., see Martínez, A., 249
Brehier, A., see Sans, A., 293
Brisac, A.-M., Huguet, F., Champeroux, P., Montastruc, J.-L., Lucet, B., Gerard, P., Laurent, S., Narcisse, G. and Schmitt, H., Central interactions between dihydroxypyridines and cholinergic systems in the control of blood pressure in rat, 160
Brodie, C. and Sampson, S.R., Nerve growth factor supports growth of rat skeletal myotubes in culture, 393
Buzsáki, G., Haas, H.L. and Anderson, E.G., Long-term potentiation induced by physiologically relevant stimulus patterns, 331

Carter, D.A. and Lightman, S.L., A role for the area postrema in mediating cholecystokinin-stimulated oxytocin secretion, 327
Caudarella, M., Durkin, T., Galey, D., Jeantet, Y. and Jaffard, R., The effect of diazepam on hippocampal EEG in relation to behavior, 202
Caudle, R.M. and Isaac, L., Intrathecal dynorphin(1–13) results in an irreversible loss of the tail-flick reflex in rats, 1
Chakrabarti, A.K., see Banik, N.L., 57
Champeroux, P., see Brisac, A.-M., 160
Czlonkowski, A., see Millan, M.J., 97

Dam, M., see Weissman, A.D., 29
Daunicht, W.J. and Pellionisz, A.J., Spatial arrangement of the vestibular and the oculomotor system in the rat, 48
Dean, J.B., see Lawing, W.L., 322
DeGirolami, U., see Zivin, J.A., 305
Duffin, J. and Hoskin, R.W., Intracellular recordings from upper cervical inspiratory neurons in the cat, 351
Durkin, T., see Caudarella, M., 202

Ehrlich, D., see Tung, N.N., 153

Farabegoli, C., see Pich, E.M., 147
Filippi, G.M., see Grassi, C., 15
Fossier, P., see Poulain, B., 63
Fuxe, K., see Pich, E.M., 147

Galey, D., see Caudarella, M., 202
Gantt, G., see Banik, N.L., 57
Gerard, P., see Brisac, A.-M., 160
Ghetti, B., see Low, W.C., 315
Glenn, L.L., Samojla, B.G. and Whitney, J.F., Electrotonic parameters of cat spinal α-motoneurons evaluated with an equivalent cylinder model that incorporates non-uniform membrane resistivity, 398
Goldstein, M., see Pich, E.M., 147
Graham, D.I., see Macrae, I.M., 195
Grassi, C., Filippi, G.M. and Passatore, M., Tension development in lumbrical muscles and concomitant increase of activity in Aα and Aβ afferents during sympathetic stimulation in the cat, 15
Grimes, L., see Mitchel, C.L., 343
Grinstein, S., see Jakubovicz, D.E., 138

Haas, H.L., see Buzsáki, G., 331
Hall, E.D., Wolf, D.L., Althaus, J.S. and VonVoigtlander, P.F., Beneficial effects of the κ opioid receptor agonist U-50488H in experimental acute brain and spinal cord injury, 174
Harel, M., see Amir, S., 112
Hartung, H.-P. and Toyka, K.V., Leukotriene production by cultured astroglial cells, 367
Hayakawa, T., see Wanaka, A., 91
Head, G.A., see Korner, P.I., 258
Hemenway, C.C., see Zivin, J.A., 305
Henry, M.E., see Zivin, J.A., 305
Hervé, D., Pickel, V.M., Joh, T.H. and Beaudet, A., Serotonin axon terminals in the ventral tegmental area of the rat: fine structure and synaptic input to dopaminergic neurons, 71
Herz, A., see Millan, M.J., 97
Hogan, E.L., see Banik, N.L., 57
Hong, J.-S., see Mitchell, C.L., 343
Hoskin, R.W., see Duffin, J., 351
Hudson, P.M., see Mitchell, C.L., 343
Huguet, F., see Brisac, A.-M., 160

Ikeda, K. and Tomonaga, M., The presence of creatine kinase (CK)-immunoreactive neurons in the zona incerta and lateral hypothalamic area of the mouse brain, 348

Illnerová, H., see Vaněček, J., 359
Isaac, L., see Caudle, R.M., 1
Ishihara, A., Naitoh, H. and Katsuta, S., Effects of ageing on the total number of muscle fibers and motoneurons of the tibialis anterior and soleus muscles in the rat, 355
Iyengar, S., Kim, H.S. and Wood, P.L., μ-, δ-, κ- and ε-Opioid receptor modulation of the hypothalamic–pituitary–adrenocortical (HPA) axis: subchronic tolerance studies of endogenous opioid peptides, 220

Jaffard, R., see Caudarella, M., 202
Jakubovicz, D.E., Grinstein, S. and Klip, A., Cell swelling following recovery from acidification in C6 glioma cells: an in vitro model of postischemic brain edema, 138
Jeantet, Y., see Caudarella, M., 202
Joh, T.H., see Hervé, D., 71
Johansson, H., Sjölander, P., Sojka, P. and Wadell, I., Fusimotor reflexes to antagonistic muscles simultaneously assessed by multi-afferent recordings from muscle spindle afferents, 337
Joy, R.M., see Albertson, T.E., 283

Kamada, T., see Wanaka, A., 91
Kaseda, Y., see Low, W.C., 315
Katsuta, S., see Ishihara, A., 355
Kendig, J.J. and Lo, M.-V.C., Cholinergic regulation of impulse frequency in peripheral nerve, 24
Kim, H.S., see Iyengar, S., 220
Klee, M.R., see Preisendörfer, U., 213
Klip, A., see Jakubovicz, D.E., 138
Knuepfer, M.M. and Schramm, L.P., The conduction velocities and spinal projections of single renal afferent fibers in the rat, 167
Kochhar, A., see Zivin, J.A., 305
Korner, P.I., Badoer, E. and Head, G.A., Cardiovascular role of the major noradrenergic cell groups in the rabbit: analysis based on 6-hydroxydopamine-induced transmitter release, 258
Kumamoto, E. and Shinnick-Gallagher, P., Postganglionic stimulation activates synaptic potentials in cat bladder parasympathetic neurons, 403

Laurent, S., see Brisac, A.-M., 160
Lawing, W.L., Millhorn, D.E., Bayliss, D.A., Dean, J.B. and Trzebski, A., Excitatory and inhibitory effects on respiration of L-glutamate microinjected superficially into the ventral aspects of the medulla oblongata in cat, 322
Liebman, J.M., see O'Neill, K.A., 371
Lightman, S.L., see Carter, D.A., 327
Lo, M.-V.C., see Kendig, J.J., 24
London, E.D., see Weissman, A.D., 29
Low, W.C., Triarhou, L.C., Kaseda, Y., Norton, J. and Ghetti, B., Functional innervation of the striatum by ventral mesencephalic grafts in mice with inherited nigrostriatal dopamine deficiency, 315
Lucet, B., see Brisac, A.-M., 160
Lumb, B.M. and Morrison, J.F.B., An excitatory influence of dorsolateral pontine structures on urinary bladder motility in the rat, 363
Lyden, P.D., see Zivin, J.A., 305
Lynch, G., see Staubli, U., 227

Macrae, I.M., Graham, D.I. and McCulloch, J., Vasomotor effects of atrial natriuretic peptides on feline pial arterioles, 195
Manchanda, S.C., see Rao,T.S., 7
Martínez, A., Vitórica, J., Bogónez, E. and Satrústegui, J., Differential effects of age on the pathways of calcium influx into nerve terminals, 249
Matsuyama, T., see Wanaka, A., 91
Mazzarella, V., see Zivin, J.A., 305
McCulloch, J., see Macrae, I.M., 195
McDonough, Jr., J.H., McLeod, Jr., C.G. and Nipwoda, M.T., Direct microinjection of soman or VX into the amygdala produces repetitive limbic convulsions and neuropathology, 123
McLeod, Jr., C.G., see McDonough, J.H., 123
Meller, E., see Pich, E.M., 147
Millan, M.J., Czlonkowski, A. and Herz, A., An analysis of the 'tolerance' which develops to analgetic electrical stimulation of the midbrain periaqueductal grey in freely moving rats, 97
Millhorn, D.E., see Lawing, W.L., 322
Mitchell, C.L., Grimes, L., Hudson, P.M. and Hong, J.-S., Stimulation of the perforant path alters hippocampal levels of opioid peptides, glutamine and GABA, 343
Mondadori, C. and Petschke, F., Do piracetam-like compounds act centrally via peripheral mechanisms?, 310
Moniot, B., see Sans, A., 293
Montastruc, J.-L., see Brisac, A.-M., 160
Morgan, I.G., see Tung, N.N., 153
Mori, K., see Ono, K., 84
Morrison, J.F.B., see Lumb, B.M., 363
Munoz, D.G., see Sidhu, H.S., 334
Murphy, R.A., see Siminoski, K., 273

Nagano, M., see Terakawa, S., 380
Naitoh, H., see Ishihara, A., 355
Narcisse, G., see Brisac, A.-M., 160
Nayar, U., see Rao, T.S., 7
Nichtenhauser, R., see Sircar, R., 235
Nipwoda, M.T., see McDonough, Jr., J.H., 123
Norton, J., see Low, W.C., 315

O'Neill, K.A. and Liebman, J.M., Unique behavioral effects of the NMDA antagonist, CPP, upon injection into the medial pre-frontal cortex of rats, 371
Ono, K., Mori, K., Baba, H. and Wada, J.A., A role of the striatum in premotor cortical seizure development, 84

Passatore, M., see Grassi, C., 15
Pavlík, A., see Vaněček, J., 359
Pellionisz, A.J., see Daunicht, W.J., 48
Petschke, F., see Mondadori, C., 310
Pich, E.M., Benfenati, F., Farabegoli, C., Fuxe, K., Meller, E., Aronsson, M., Goldstein, M. and Agnati, L.F., Chronic haloperidol affects striatal D_2-dopamine receptor reappearance after irreversible receptor blockade, 147
Pickel, V.M., see Hervé, D., 71
Poulain, B., Fossier, P., Baux, G. and Tauc, L., Hemicholinium-3 facilitates the release of acetylcholine by acting on presynaptic nicotinic receptors at a central synapse in *Aplysia*, 63
Preisendörfer, U., Zeise, M.L. and Klee, M.R., Valproate enhances inhibitory postsynaptic potentials in hippocampal neurons in vitro, 213

Rao, T.S., Seth, S.D., Manchanda, S.C. and Nayar, U., The

involvement of the sympathetic nervous system in the centrogenic pressor and tachycardiac effects of prostaglandins E_2 and $F_{2\alpha}$ in anaesthetised cats, 7
Rappoport, M., see Sircar, R., 235
Rivkind, A.I., see Amir, S., 112
Robbins, N., see Rochel, S., 41
Rochel, S. and Robbins, N., Acetylcholine receptor availability and transmission efficacy, 41
Rowan, M., see Anwyl, R., 377

Samojla, B.G., see Glenn, L.L., 398
Sampson, S.R., see Brodie, C., 393
Sans, A., Brehier, A., Moniot, B. and Thomasset, M., Immuno-electronmicroscopic localization of 'vitamin D-dependent' calcium-binding protein (CaBP-28k) in the vestibular hair cells of the cat, 293
Satrústegui, J., see Martínez, A., 249
Schmitt, H., see Brisac, A.-M., 160
Schramm, L.P., see Knuepfer, M.M., 167
Seth, S.D., see Rao, T.S., 7
Shibasaki, T., see Wanaka, A., 91
Shinnick-Gallagher, P., see Kumamoto, E., 403
Sidhu, H.S., Munoz, D.G. and Wood, J.D., γ-Aminobutyric acid (GABA) uptake systems in human frontal cortex, 334
Siminoski, K. and Murphy, R.A., Detection of molecules with nerve growth factor binding activity in medium conditioned by L-929 fibroblasts, 273
Sircar, R., Rappoport, M., Nichtenhauser, R. and Zukin, S.R., The novel anticonvulsant MK-801: a potent and specific ligand of the brain phencyclidine/σ-receptor, 235
Sjölander, P., see Johansson, H., 337
Sojka, P., see Johansson, H., 337
Staubli, U. and Lynch, G., Stable hippocampal long-term potentiation elicited by 'theta' pattern stimulation, 227
Stein, E.A., see Blake, M.J., 181
Storm, J.F., Intracellular injection of a Ca^{2+} chelator inhibits spike repolarization in hippocampal neurons, 387

Tauc, L., see Poulain, B., 63
Terakawa, S. and Nagano, M., Visualization of secretory activities in the *Xenopus* neurohypophysis by a high S/N video camera, 380
Thomasset, M., see Sans, A., 293
Tohyama, M., see Wanaka, A., 91
Tomonaga, M., see Ikeda, K., 348
Toyka, K.V., see Hartung, H.-P., 367
Triarhou, L.C., see Low, W.C., 315
Trzebski, A., see Lawing, W.L., 322
Tung, N.N., Morgan, I.G. and Ehrlich, D., Intravitreal kainic acid severely reduces the size of the developing optic tectum in newly hatched chickens, 153

Vaněček, J., Pavlík, A. and Illnerová, H., Hypothalamic melatonin receptor sites revealed by autoradiography, 359
Vitórica, J., see Martínez, A., 249
VonVoigtlander, P.F., see Hall, E.D., 174

Wada, J.A., see Ono, K., 84
Wadell, I., see Johansson, H., 337
Walshe, J., see Anwyl, R., 377
Wanaka, A., Matsuyama, T., Yoneda, S., Kamada, T., Shibasaki, T., Hayakawa, T. and Tohyama, M., Corticotropin-releasing factor-like immunoreactive nerve fibers in the rat superior cervical ganglion and their fine structures, 91
Weissman, A.D., Dam, M. and London, E.D., Alterations in local cerebral glucose utilization induced by phencyclidine, 29
Whitney, J.F., see Glenn, L.L., 398
Wolf, D.L., see Hall, E.D., 174
Wood, J.D., see Sidhu, H.S., 334
Wood, P.L., see Iyengar, S., 220

Yoneda, S., see Wanaka, A., 91

Zeise, M.L., see Preisendörfer, U., 213
Zivin, J.A., DeGirolami, U., Kochhar, A., Lyden, P.D., Mazzarella, V., Hemenway, C.C. and Henry, M.E., A model for quantitative evaluation of embolic stroke therapy, 305
Zukin, S.R., see Sircar, R., 235

Errata

Poherecki, R., French, J. and Domino, E.F., Extracellular calcium alters frequency modulation of [^{3}H]acetylcholine release from rat hippocampal slices, 420 (1987) 199–203.

p. 199, left column, line 7, *should read* 'following a second train . . .'
p. 199, right column, line 10, *should read* '1.3 to 4.0 mM.'
p. 200, legend to Fig. 2, line 9, *should read* '$^{***}P < 0.001$ . . .'
p. 202, left column, line 12, *should read* 'Our results with a controlled . . .'
p. 202, right column, line 25, *should read* '. . . in less than 7.5 s . . .'